

HOLDFAST

FLUID POWER



HOLDFAST Fluid Power provides a range of services, supplies and maintenance to many different industries. Our team understands the particular needs of various industries to provide best-in-class service and industry leading fluid power solutions.

BRANDS



BOP20 BATTERY OPERATED PUMP

There's never been a smarter pump. Designed and made in Australia, the Macnaught BOP20 is a portable and rechargeable 18volt battery operated pump, designed to improve workshop efficiency and reduce fatigue with the flick of a switch. Simple but clever, the BOP20 powerhead can be transferred across multiple pump stems to reduce setup costs. The on-demand flow nozzle allows full control over fluid delivery with flow rates up to 3.5L/min.

[Read More](#)

SKU: BP20S-OLA

HUSKY 3300 DIAPHRAGM PUMP

The Husky 3300 has a 3 inch (76.2 mm) connection and is available in aluminium, polypropylene and stainless steel

[Read More](#)

SKU: husky-3300





HUSKY 2150 DIAPHRAGM PUMP

The Husky 2150 has a 2 inch (50.8 mm) connection and is available in polypropylene, aluminium, SST and iron.

[Read More](#)

SKU: husky-2150

HUSKY 2200 DIAPHRAGM PUMP

The Husky 2200 has a 2 inch (50.8 mm) connection and is available in polypropylene and PVDF.

[Read More](#)

SKU: husky-2200





HUSKY 1590 DIAPHRAGM PUMP

The Husky 1590 has a 1,5 inch (38.1 mm) connection and is available in aluminium, stainless steel and polypropylene.

[Read More](#)

SKU: husky-1590

HUSKY 1050 HP DIAPHRAGM PUMP

The Husky 1050HP has a 1 inch (25.4mm) connection and is available in aluminium and stainless steel. Choose between low pressure and high pressure operating modes with Graco's low-high pressure mode valve.

[Read More](#)

SKU: husky-1050-hp





HUSKY 15120 DIAPHRAGM PUMP

The Husky 15120 has a 1.5 inch (38.1 mm) connection and is available in polypropylene and PVDF.

[Read More](#)

SKU: husky-1520

HUSKY 716 DIAPHRAGM PUMP

The Husky 716 has a $\frac{3}{4}$ inch (19.05 mm) connection and is available in aluminium and stainless steel

[Read More](#)

SKU: husky-716





HUSKY 1050 DIAPHRAGM PUMP

The Husky 1050 has a 1 inch (25.4 mm) connection and is available in aluminium, polypropylene, conductive polypropylene, PVDF, stainless steel and hastelloy

[Read More](#)

SKU: husky-1050

HUSKY 515 DIAPHRAGM PUMP

The Husky 515 has a ½ inch (12.7 mm) connection and is available in polypropylene, acetal and PVDF

[Read More](#)

SKU: husky-515





HUSKY 205 DIAPHRAGM PUMP

The Husky 205 has a 1/4 inch (6.3 mm) connection and is available in polypropylene, groundable acetal and PVDF

[Read More](#)

SKU: husky-250

HUSKY 307 DIAPHRAGM PUMP

The Husky 307 has a 3/8 inch (9.52 mm) connection and is available in polypropylene and groundable acetal

[Read More](#)

SKU: husky-307





TWIN PEDESTAL DIESEL REEL - 25MM X 20M

Diesel reel - spring-rewind, heavy-duty reel ideal in truck mount & mine applications

[Read More](#)

SKU: MDTP2520-01

SINGLE PEDESTAL GREASE REEL - 6MM X 15M

Grease reel - spring-rewind to suit longer hose demands in medium/large workshops.

[Read More](#)

SKU: MGS0615-01





TWIN PEDESTAL 1/4" GREASE REEL - 6MM X 15M

Grease reel - spring-rewind, heavy-duty reel ideal in truck mount & mine applications.

[Read More](#)

SKU: MGTP0615-01

TWIN PEDESTAL GREASE REEL - 9MM X 15M

Grease reel - spring-rewind, heavy-duty reel ideal in truck mount & mine applications.

[Read More](#)

SKU: MGTP0915-01





SINGLE PEDESTAL OIL REEL - 12MM X 20M

Oil reel - spring-rewind, suits longer hose demands in medium/large workshops.

[Read More](#)

SKU: MOS1220-01

BARE SINGLE PEDESTAL REEL (SUITS 1/2" X 20M)

Universal reel - bare (without hose) - spring-rewind. Suits longer hose demands in medium/large workshops where either existing or specialty type hoses are used.

[Read More](#)

SKU: MRS1320N-01





BARE TWIN PEDESTAL REEL (SUITS 1/2" X 20M)

Universal reel - bare (without hose) - spring-rewind. Heavy-duty reel ideal for truck mount or mine application where existing or specialty hoses need to be used.

[Read More](#)

SKU: MRTP1320N-01

BARE TWIN PEDESTAL REEL (SUITS 1" X 20M)

Universal reel - bare (without hose) - spring-rewind. Heavy-duty reel ideal for truck mount or mine application where existing or specialty hoses need to be used.

[Read More](#)

SKU: MRTP2520N-01





HEAVY DUTY GREASE REEL - 3/8" X 15M

Macnaught's MAN range of narrow face steel hose reels offers a real step forward in hose reel design. Built with Australian conditions in mind these heavy duty powder-coated steel hose reels boast sealed bearings, stainless steel shafts, solid three sector ratchets, Viton O'rings, quality hoses and corrosion resistant fixings. A narrow face dimension has been maintained to allow multiple reels to be fitted in tight locations such as the mine site service vehicle. Industry common footprints allow for minimum changes to cabinet design. Common BSP threads are used at inlet, outlet and hose fittings and the 3/8" reels are supplied with a 1m feeder hose for convenience. Spare parts are available to expedite repair and a simple re-tensioning device allows quarter turn refinements.

[Read More](#)

SKU: MAN0915-01

HEAVY DUTY OIL/WATER REEL - 1/2" X 15M

Macnaught's MAN range of narrow face steel hose reels offers a real step forward in hose reel design. Built with Australian conditions in mind these heavy duty powder coated steel hose reels boast sealed bearings, stainless steel shafts, solid three sector ratchets, Viton O'rings, quality hoses and corrosion resistant fixings. A narrow face dimension has been maintained to allow multiple reels to be fitted in tight locations such as the mine site service vehicle. Industry common footprints allow for minimum changes to cabinet design. Common BSP threads are used at inlet, outlet and hose fittings and the 3/8" reels are supplied with a 1m feeder hose for convenience. Spare parts are available to expedite repair and a simple re-tensioning device allows quarter turn refinements.

[Read More](#)

SKU: MAN1215-01





HEAVY DUTY OIL/WATER REEL - 3/4" X 15M

Macnaught's MAN range of narrow face steel hose reels offers a real step forward in hose reel design. Built with Australian conditions in mind these heavy duty powder coated steel hose reels boast sealed bearings, stainless steel shafts, solid three sector ratchets, Viton O'rings, quality hoses and corrosion resistant fixings. A narrow face dimension has been maintained to allow multiple reels to be fitted in tight locations such as the mine site service vehicle. Industry common footprints allow for minimum changes to cabinet design. Common BSP threads are used at inlet, outlet and hose fittings and the 3/8" reels are supplied with a 1m feeder hose for convenience. Spare parts are available to expedite repair and a simple re-tensioning device allows quarter turn refinements.

[Read More](#)

SKU: MAN1915-01


HEAVY DUTY DIESEL REEL - UNMETERED (BARE) - 25MM X 15M

Macnaught's MAN range of narrow face steel hose reels offers a real step forward in hose reel design. Built with Australian conditions in mind these heavy duty powder coated steel hose reels boast sealed bearings, stainless steel shafts, solid three sector ratchets, Viton O'rings, quality hoses and corrosion resistant fixings. A narrow face dimension has been maintained to allow multiple reels to be fitted in tight locations such as the mine site service vehicle. Industry common footprints allow for minimum changes to cabinet design. Common BSP threads are used at inlet, outlet and hose fittings and the 3/8" reels are supplied with a 1m feeder hose for convenience. Spare parts are available to expedite repair and a simple re-tensioning device allows quarter turn refinements.

[Read More](#)

SKU: MAN2515-01





DIESEL/WATER/AIR REEL - UNMETERED (BARE) - 38MM X 15M

Macnaught's all new MAN range of narrow face steel hose reels offers a real step forward in hose reel design. Built with Australian conditions in mind these heavy duty powder coated steel hose reels boast sealed bearings, stainless steel shafts, solid three sector ratchets, Viton O'rings, quality hoses and corrosion resistant fixings. A narrow face dimension has been maintained to allow multiple reels to be fitted in tight locations such as the mine site service vehicle. Industry common footprints allow for minimum changes to cabinet design. Common BSP threads are used at inlet, outlet and hose fittings and the 3/8" reels are supplied with a 1m feeder hose for convenience. Spare parts are available to expedite repair and a simple re-tensioning device allows quarter turn refinements.

[Read More](#)

SKU: MAN3815-01

METAL AIR REEL-9MM X 20M HOSE

Compressed air/water reel - spring-rewind to suit longer hose demands in medium/large workshops.

[Read More](#)

SKU: MAS1020-01





SINGLE PEDESTAL AIR/WATER REEL - 12.5MM X 20M

Compressed air/water reel - spring-rewind, suits longer hose demands in medium/large workshops.

[Read More](#)

SKU: MAS1220-01

TWIN PEDESTAL AIR/WATER REEL - 12MM X 20M

Compressed air/water reel - spring-rewind, heavy-duty reel ideal in truck mount & mine applications

[Read More](#)

SKU: MATP1220-01





TWIN PEDESTAL AIR/WATER REEL - 19MM X 20M

Compressed air / water reel - spring-rewind, heavy-duty reel ideal in truck mount & mine applications.

[Read More](#)

SKU: MATP1920-01

SERVICE VEHICLE OIL REEL - 12MM X 15M

The MAX reel by Macnaught represents the first hose reel developed worldwide with integrated flow meter and flow register. The marriage of the brand new MX range of oval gear flow meter products featuring the revolutionary M-Lock mounting system and the equally new MAN narrow face hose reel products offers unparalleled simplicity for OEMs, installers and users alike. With the MAX range of metered hose reels there is no longer any need for separate mounting of meters, intermediate plumbing or vulnerable wiring between meters and registers. The reel comes completely fitted and wired to be placed in situ ready to function. The only installation required is bolting the unit down and the connection of the inlet fluids and outlet control. Although equally at home in static workshop situations, the MAX range of metered hose reels has been specifically designed to meet the rigors of the mobile lube service vehicle.

[Read More](#)

SKU: MAX1215-01





METERED OIL HOSE REEL - 19MM X 15M

The MAX reel by Macnaught represents the first hose reel developed worldwide with integrated flow meter and flow register. The marriage of the brand new MX range of oval gear flow meter products featuring the revolutionary M-Lock mounting system and the equally new MAN narrow face hose reel products offers unparalleled simplicity for OEMs, installers and users alike. With the MAX range of metered hose reels there is no longer any need for separate mounting of meters, intermediate plumbing or vulnerable wiring between meters and registers. The reel comes completely fitted and wired to be placed in situ ready to function. The only installation required is bolting the unit down and the connection of the inlet fluids and outlet control. Although equally at home in static workshop situations, the MAX range of metered hose reels has been specifically designed to meet the rigors of the mobile lube service vehicle.

[Read More](#)

SKU: MAX1915-01

INDEX

B

Bare Single Pedestal Reel (suits 1/2" x 20m) 10
Bare Twin Pedestal Reel (suits 1" x 20m) 11
Bare Twin Pedestal Reel (suits 1/2" x 20m) 11
BOP20 Battery Operated Pump 2

D

Diesel/Water/Air Reel - Unmetered (Bare) - 38mm x 15m 14

H

Heavy Duty Diesel Reel - Unmetered (Bare) - 25mm x 15m 13
Heavy Duty Grease Reel - 3/8" x 15m 12
Heavy Duty Oil/Water Reel - 1/2" x 15m 12
Heavy Duty Oil/Water Reel - 3/4" x 15m 13
Husky 1050 Diaphragm Pump 6
Husky 1050 HP Diaphragm Pump 4
Husky 15120 Diaphragm Pump 5
Husky 1590 Diaphragm Pump 4
Husky 205 Diaphragm Pump 7
Husky 2150 Diaphragm Pump 3
Husky 2200 Diaphragm Pump 3
Husky 307 Diaphragm Pump 7
Husky 3300 Diaphragm Pump 2
Husky 515 Diaphragm Pump 6
Husky 716 Diaphragm Pump 5

M

METAL AIR REEL-9mm x 20M HOSE 14
Metered Oil Hose Reel - 19mm x 15m 17

S

Service Vehicle Oil Reel - 12mm x 15m 16
Single Pedestal Air/Water Reel - 12.5mm x 20m 15
Single Pedestal Grease Reel - 6mm x 15m 8
Single Pedestal Oil Reel - 12mm x 20m 10

T

Twin Pedestal 1/4" Grease Reel - 6mm x 15m 9
Twin Pedestal Air/Water Reel - 12mm x 20m 15
Twin Pedestal Air/Water Reel - 19mm x 20m 16
Twin Pedestal Diesel Reel - 25mm x 20m 8
Twin Pedestal Grease Reel - 9mm x 15m 9

HOLDFAST

FLUID POWER

Built on a foundation of quality customer service and knowledgeable staff, Holdfast prides itself on providing quality workmanship, innovative solutions and exceeding safety standards across mining, oil & gas, marine, industrial, civil and construction industries.

1300 HOLDFAST

Contact Us

FORRESTFIELD

**657 Dundas Road
Forrestfield WA 6058**

(08) 9359 1795
sales@holdfastaust.com.au

BROOME

**10/274 Port Drive
Broome WA 6725**

(08) 9192 6007
salesnw@holdfastaust.com.au

NAVAL BASE

**1/27 Dooley Street
Naval Base WA 6165**

(08) 9410 0716
sales2@holdfastaust.com.au